

TRUBEND™ PIPELINE ANGLE MEASUREMENT



TruBend™ is a wireless digital angle measurement device for attachment to any CRC-Evans Bending Machine. It provides a continuous readout of the achieved bend angle during bending operations.

TruBend™ eliminates climbing on the pipe. The bending operator monitors each push without leaving his station, thus saving the time normally required for manual measurement and calculation.

The system consists of two measurement units and a master receiver unit with a digital readout. The magnetic mounts used in the measurement units allow very fast setup on all pipe sizes. The display shows angles of both ends and the net bend in the pipe. A rugged carrying case is provided with each system.

Accuracy to 1 /10 degree.

Batteries provide 60 hours of operation time.

Simple to operate and maintain.

Fits all pipe sizes.

Constant Digital Readout indicates bend angle.

Increases production by eliminating clinometer reading time (up to 20% in certain cases).

The box dimensions are 22 lbs. (10 kg) 14" L X 10" W X 8" H (36 cm L X 26 cm W X 21 cm H).

Note: This equipment has two radio transmitters. These have a designed range of 100ft. (30m). This will not interfere with other devices outside this range. It is advisable to consult your local laws and regulations and inform CRC-Evans if any special frequencies are required. If no indication is given, the units will be supplied for use with the frequency of cordless telephones in the country of destination.
ITC Garamond Light should be used for all body copy. Select the text in this area and replace or return